

## Lower Extremity Functional Scale

We are interested in knowing whether you are having any difficulty at all with the activities listed below because of your lower limb problem for which you are currently seeking attention. Please check (√) an answer for **each** activity.

Today, **do you** or **would you** have any difficulty at all with:

<b>Activities</b>	<b>Extreme Difficulty Or Unable to Perform Activity</b>	<b>Quite a Bit of Difficulty</b>	<b>Moderate Difficulty</b>	<b>A Little Bit of Difficulty</b>	<b>No Difficulty</b>
Any of your usual work, household, or school activities					
Your usual hobbies, recreational or sporting activities					
Getting into or out of the bath					
Walking between rooms					
Putting on your shoes or socks					
Squatting					
Lifting an object, like a bag of groceries from the floor					
Performing light activities around your Home					
Performing heavy activities around your Home					
Getting into or out of a car					
Walking 2 blocks					
Walking a mile					
Going up or down 10 stairs (about 1 flight of stairs)					
Standing for 1 hour					
Sitting for 1 hour					
Running on even ground					
Running on uneven ground					
Making sharp turns while running fast					
Hopping					
Rolling over in bed					

Binkley JM, Stratford POW, Lott SA, Riddle DL. The lower extremity functional scale (LEFS): Scale development, measurement properties, and clinical application. Physical Therapy 1999;79:371-383.

Patient name: \_\_\_\_\_ Signature: \_\_\_\_\_ Date: \_\_\_\_\_  
Score \_\_\_\_\_/80 MDC (minimum detectable change) = 9 pts Error +/- 5 scale points